



ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
ΠΑΝΕΠΙΣΤΗΜΙΟ ΚΡΗΤΗΣ
ΕΙΔΙΚΟΣ ΛΟΓΑΡΙΑΣΜΟΣ

ΑΝΑΡΤΗΤΕΑ ΣΤΟ ΔΙΑΔΙΚΤΥΟ



Ε. Π. Ανταγωνιστικότητα και Επιχειρηματικότητα (ΕΠΑΝ II), ΠΕΠ Μακεδονίας – Θράκης, ΠΕΠ Κρήτης και Νήσων Αιγαίου, ΠΕΠ Θεσσαλίας – Στερεάς Ελλάδας – Ηπείρου, ΠΕΠ Αττικής

Ηράκλειο, 26.06.2014

Αρ. πρωτ. 7166

ΠΡΟΣΚΛΗΣΗ ΕΚΔΗΛΩΣΗΣ ΕΝΔΙΑΦΕΡΟΝΤΟΣ

Ο Ειδικός Λογαριασμός του Πανεπιστημίου Κρήτης πρόκειται να προβεί στην προμήθεια **αναλώσιμων χημικού εργαστηρίου** για την κάλυψη των αναγκών του έργου με τίτλο ««Κατανόηση μοριακών μονοπατιών που ρυθμίζουν τον αποπτωτικό κυτταρικό θάνατο για την ορθολογική ανάπτυξη θεραπευτικών στρατηγικών στον καρκίνο του εντέρου» (συντ.τίτλου: THERACAN) και κωδικό αριθμό 11ΣΥΝ_1_485» και κα 3735.

Το έργο συγχρηματοδοτείται από το Ευρωπαϊκό Ταμείο Περιφερειακής Ανάπτυξης της Ε.Ε. και από εθνικούς πόρους στα πλαίσια του επιχειρησιακού προγράμματος του ΕΣΠΑ 2007-2013, Ανταγωνιστικότητα και Επιχειρηματικότητα (ΕΠΑΝ II).

Ι. ΑΝΤΙΚΕΙΜΕΝΟ ΠΡΟΜΗΘΕΙΑΣ

Τα προς προμήθεια είδη παρουσιάζονται στο παράρτημα Α της πρόσκλησης.

Διευκρινίζεται ότι στις περιπτώσεις προϊόντων του παραπάνω πίνακα όπου γίνεται αναφορά σε τύπους ορισμένης προέλευσης ή παραγωγής θα γίνουν δεκτά και ισοδύναμα προϊόντα.

II. ΠΡΟΥΠΟΛΟΓΙΣΜΟΣ

Ο συνολικός προϋπολογισμός της δαπάνης ανέρχεται στο ποσό των 10.200,00€ μη συμπεριλαμβανομένου του ΦΠΑ – 12.546,00€ συμπεριλαμβανομένου του ΦΠΑ

III. ΤΟΠΟΣ ΚΑΙ ΧΡΟΝΟΣ ΠΑΡΑΔΟΣΗΣ

Η παράδοση των ειδών θα γίνεται τμηματικά στο Πανεπιστήμιο Κρήτης στο τμήμα Χημείας, εντός 3 εβδομάδων από την παραγγελία τους και θα έχει ολοκληρωθεί εντός ενός έτους από την ημερομηνία υπογραφής της σύμβασης.

IV. ΤΡΟΠΟΣ ΣΥΝΤΑΞΗΣ ΚΑΙ ΥΠΟΒΟΛΗΣ ΠΡΟΣΦΟΡΩΝ

Οι ενδιαφερόμενοι θα πρέπει να καταθέσουν έγγραφη προσφορά που θα αφορά στο σύνολο των ειδών της πρόσκλησης.

Οι ενδιαφερόμενοι θα πρέπει απαραίτητα να συμπεριλαμβάνουν στην προσφορά τους συμπληρωμένο τον παρακάτω πίνακα :

ΠΙΝΑΚΑΣ ΠΡΟΣΦΕΡΟΜΕΝΩΝ ΕΙΔΩΝ

A/A	Είδος/Τεχνικές Προδιαγραφές Είδους	Συσκευασία	Τιμή ανά συσκευασία	Συνολική τιμή

Στις τιμές του παραπάνω πίνακα δεν θα συμπεριλαμβάνεται ο ΦΠΑ.

V. ΑΞΙΟΛΟΓΗΣΗ ΤΩΝ ΠΡΟΣΦΟΡΩΝ

Η αξιολόγηση των προσφορών θα γίνει από επιστημονικό υπεύθυνο του έργου, με κριτήριο τη χαμηλότερη τιμή,

Οι προσφορές θα γίνονται δεκτές αποκλειστικά σε ηλεκτρονική μορφή (αποστολή αρχείου μέσω mail) μέχρι και την Παρασκευή 11/07/2014 και ώρα 14:30 στα κάτωθι στοιχεία:

Ειδικός Λογαριασμός
Πανεπιστήμιο Κρήτης
Βούτες, Κτίριο Διοίκησης,
70013 Ηράκλειο Κρήτης
Υπόψη κ. Παπαδάκη Ζαχαρένια
φας: (+30) 2810 393130
E-mail: renia.papadaki@uoc.gr

με την ένδειξη για πρόσκληση εκδήλωσης ενδιαφέροντος με αριθμό 7166/26.06.201

Πληροφορίες:

1. Για διαδικαστικά θέματα κ. Παπαδάκη Ζαχαρένια, Τηλ. (+30) 2810 393171 & 393156, φας: (+30) 2810 393130, E-mail: renia.papadaki@uoc.gr, γραμματεία του Ειδικού Λογαριασμού του Πανεπιστημίου Κρήτης στο Ηράκλειο
2. Για τις προδιαγραφές : κ Βασιλικογιαννάκης Γεώργιος Τηλέφωνο: 2810-545074

Ο Πρόεδρος της Επιτροπής Ερευνών
του Πανεπιστημίου Κρήτης
Γεώργιος Τζιρίτας

ΠΑΡΑΡΤΗΜΑ Α: ΠΡΟΜΗΘΕΥΟΜΕΝΑ ΕΙΔΗ ΚΑΙ ΤΕΧΝΙΚΕΣ ΠΡΟΔΙΑΓΡΑΦΕΣ

A/A	ΔΙΑΦΟΡΑ ΑΝΑΛΩΣΙΜΑ ΧΗΜΙΚΟΥ ΕΡΓΑΣΤΗΡΙΟΥ	ΣΥΣΚΕΥΑΣΙΑ	ΠΟΣΟΤΗΤΑ	ΚΑΘΑΡΟΤΗΤΑ
1	gloves nitrile white without powder, small	pkg/100	20	
2	gloves nitrile white without powder, medium	pkg/100	20	
3	gloves nitrile white without powder, large	pkg/100	20	
4	pipettes pasteur long	pkg/250	40	glass
5	Parafilm	roll	4	4 in. x 250 ft. roll
6	Beakers 25 mL	pkg/10	2	borosilicate glass 3.3
7	Beakers 50 mL	pkg/10	2	borosilicate glass 3.3
8	Beakers 100 mL	pkg/10	2	borosilicate glass 3.3
9	Beakers 250 mL	pkg/10	2	borosilicate glass 3.3
10	Beakers 600 mL	pkg/10	1	borosilicate glass 3.3
11	Wash bottles (υδροβολείς) 250 mL		10	Low density polyethylene , narrow neck
12	Wash bottles (υδροβολείς) 500 mL		10	Low density polyethylene , narrow neck
13	Benchclamps 3-prong single adjustment		14	jaw capacity 6.2 cm, prong H 4.9 cm (180mm length-Aluminium)
14	Laboratory brushes (ψήκτρες καθαρισμού)		10	διαμέτρου βούρτσας 20mm
15	Laboratory brushes (ψήκτρες καθαρισμού)		10	διαμέτρου βούρτσας 50mm
16	Condesers (ψυκτήρες)		6	joints 14άρια, μήκος ~25 cm
17	Low form dewar flask, hemispherical		2	borosilicate glass with protective outer aluminum housing, ~220 mL, ID: ~6,5 cm, inside depth 6 1/2 cm
18	Low form dewar flask, hemispherical		2	borosilicate glass with protective outer aluminum housing, ~100 mL, ID: ~7 cm, inside depth 3 cm
19	Dressing tissue forcepts (λαβίδες μεταλλικές)		10	stainless steel, L ~6 inches (tissue forceps,

				S.S., 145mm)
20	Receiving flasks for rotavap (φιάλες ρότορα) 1 Liter, center neck KS 35		2	borosilicate glass 3.3, according to DIN 12383 standard
21	Erlenmeyer narrow-neck flasks 25 mL	pkg/10	2	borosilicate glass 3.3
22	Erlenmeyer narrow-neck flasks 100 mL	pkg/10	2	borosilicate glass 3.3
23	Erlenmeyer narrow-neck flasks 250 mL	pkg/10	2	borosilicate glass 3.3
24	Duran filtering flask 500 mL glass side arm		4	borosilicate glass 3.3
25	Round bottom flasks 10 mL with joint female 14/23		20	borosilicate glass 3.3
26	Round bottom flasks 25 mL with joint female 14/23		10	borosilicate glass 3.3
27	Round bottom flasks 50 mL with joint female 14/23		20	borosilicate glass 3.3
28	Round bottom flasks 100 mL with joint female 24/29		20	borosilicate glass 3.3
29	Round bottom flasks 250 mL with joint female 24/29		20	borosilicate glass 3.3
30	Round bottom flasks 500 mL with joint female 24/29		6	borosilicate glass 3.3
31	Two-neck round bottom flasks 25 mL with angled side arm joint females 14/23		10	borosilicate glass 3.3
32	Two-neck round bottom flasks 50 mL with angled side arm joint females 14/23		10	borosilicate glass 3.3
33	Two-neck round bottom flasks 100 mL with angled side arm joint females 14/23		10	borosilicate glass 3.3
34	Addition funnels cylindrical with PTFE stopcock and pressure equalization arm with neck joint females 14/23 with PE stopper and cone joint 14/23 after stopcock		4	borosilicate glass 3.3, όγκου περίπου 25 mL
35	Separatory funnels, squibb type, with PTFE stopcock and neck joint females 14/23 with PE stopper, ~50 mL		4	borosilicate glass 3.3
36	Separatory funnels, squibb type, with PTFE stopcock and neck joint females 14/23 with PE stopper, ~250 mL		4	borosilicate glass 3.3
37	Test tube racks 60 θέσεων διαμέτρου σωλήνων ~1.5 cm		10	πλαστικό (tube rack - detachable - 60 hole - for tubes 15/16 mm diameter)
38	Disposable test tubes 20 cm μήκος, διάμετρος ~1.5 cm	pkg/100	10	γυάλινοι (σωληνάρια, 200 x 15mm, soda lime glass

39	Stir bars διαστάσεων 1/2 in. × 1/8	pkg/100	2	PTFE
40	Stir bars διαστάσεων ~8 mm μήκος και ~3 mm πάχος	pkg/10	2	PTFE
41	Stir bars διαστάσεων ~15 mm μήκος και ~6 mm πάχος	pkg/10	2	PTFE
42	Glass stoppers NS14/23	pkg/10	1	borosilicate glass 3.3
43	Glass stoppers NS24/29	pkg/10	1	borosilicate glass 3.3
44	Jack 6 x 6 inches, max height 280mm (αναβατόρια)		4	chemical resistant anodized aluminium and SS operation system
45	Glass syringes with interchangeable components 1 mL		10	borosilicate glass tube, metal parts are chrome-plated brush, needle lower lock
46	Glass syringes with interchangeable components 2 mL		10	borosilicate glass tube, metal parts are chrome-plated brush, needle lower lock
47	Glass syringes with interchangeable components 5 mL		10	borosilicate glass tube, metal parts are chrome-plated brush, needle lower lock
48	Glass syringes with interchangeable components 10 mL		10	borosilicate glass tube, metal parts are chrome-plated brush, needle lower lock
49	Stainless steel syringes needles μήκους ~10 cm		12	gauge 20
50	Syringes removable needle 10 µL		4	10 µL, needle length: 51 mm, 22s ga (bevel tip), stainless steel needle
51	Syringes removable needle 100 µL		10	100 µL, needle length: 51 mm, 22s ga (bevel tip), stainless steel needle
52	Syringes removable needle 250 µL		10	250 µL, needle length: 51 mm, 22s ga (bevel tip), stainless steel needle
53	Ace pressure tubes, pressure rated to 150 psig. Tubes are supplied complete with Ace-Thred PTFE bushing and FETFE® O-ring. (Αυτόκλειστα)		2	heavy-wall borosilicate glass tube, bushing type, Front seal, L × O.D. 10.2 cm × 13 mm volume ~ 5 mL

54	Ace pressure tubes, pressure rated to 150 psig. Tubes are supplied complete with Ace-Thred PTFE bushing and FETFE® O-ring. (Αυτόκλειστα)		2	heavy-wall borosilicate glass tube, bushing type, Front seal , L × O.D. 10.2cm ×38.1 mm ~ 45- 50 mL
55	Wheaton sample vials with rubber lined cups 20 mL	pkg/72	4	Wheaton sample vials with rubber lined caps clear glass, volume 20 mL, cap 24-400
56	Vials με καπάκι όγκου 4 mL	(pkg/100)	4	4 mL, clear vial, screw top solid cap with PTFE liner, OD x H: 15mm x 45 mm
57	Clear 2 mL Screw Top Vial 12 x 32 for GC-MS	pkg/100	1	
58	8 mm white silicone/PTFE septa for GC-MS	pkg/100	1	
59	Pipette Monstr-Pette, Overall Length (in):5 3/4, Tip Length (in):2 1/4, Body Length (in):3 1/2	pkg/800	1	sodalime glass, heavy wall, the body of pipettes ID:~7-8mm, OD ~10-11mm
60	Buchner funnel with joint		4	capacity: 140 mL, porosity: 70-100 µm, disc.diam.: 65 mm, joint: 24/40
61	Buchner funnel with joint		4	capacity: 30 mL, porosity: 145-175 µm, disc.diam.: 30 mm, joint: 14/20
62	Buchner funnel with joint		4	capacity: 140 mL, porosity: 145-175 µm, disc.diam.: 65 mm, joint: 24/40
63	Micro spatula		10	bent tip and spoon, rod. diam.: ~2.3 mm, l.: ~16 cm, stainless steel
64	Two neck, round bottom flask		4	1000 mL, center joint: 24/29, side joint: 24/29
65	Two neck, round bottom flask		2	2000 mL, center joint: 24/29, side joint: 24/29
66	Double-tipped needle, with noncoring tips		3	length: ~60 cm, size (gauge): 18
67	Polyethylene stopper	(pkg/10)	4	nonthreaded, wide, thick flanges, joint: 14/20
68	Polyethylene stopper	(pkg/10)	2	nonthreaded, wide, thick flanges, joint: 24/40

69	Vials με καπάκι όγκου 40 mL	(pkg/100)	1	40 mL, clear vial, screw top hole cap with PTFE/ Silicone septa, OD x H: 29mm x 82mm (Vials, screw top with phenolic open-top cap, pre-assembled size 40 mL, clear glass, O.D. x H 29 mm x 82 mm, tan PTFE/silicone septum)
70	Cork flask support ring		10	ID x OD : 30mm x 80mm, fits flask 10-100 mL
71	Cork flask support ring		10	ID x OD : 60mm x 110mm, fits flask 200-500 mL
72	PTFE sealing tape	roll	10	~ 19mm x 15m x 0.20 mm (PTFE tape, 12mm length)
73	Pipette bulb (πουάρ)	pkg /12	10	2 mL, natural rubber, red thimble
74	Disposable hypodermic needles	pkg/100	4	length: ~ 10-15 cm, 21G (0.8mm)
75	Funnel		10	40 mm, glass SL (laboratory funnel - general use - glass - 40mm)
76	Funnel		10	80 mm, glass SL (laboratory funnel - general use - glass - 80mm)
77	NMR tubes suitable for 500 MHz instrument	pkg/5	10	Class A glass